Single-Window Hub

and Virtuous Environmental





# Government of India Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), MAHARASHTRA)

To,

The Director

**EVERSMILE CONSTRUCTION COMPANY PVT LTD** 

Dynamix House, Gen. A. K. Vaidya Marg, Yashodham, Goregaon (East), Mumbai - 400063. -400063

**Subject:** Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam.

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/INFRA2/404799/2022 dated 03 Nov 2022. The particulars of the environmental clearance granted to the project are as below.

1. EC Identification No.

2. File No.

3. Project Type

4. Category

5. Project/Activity including Schedule No.

6. Name of Project

EC23B038MH167717

SIA/MH/INFRA2/404799/2022

New

В

8(a) Building and Construction projects

Proposed Residential and Commercial Building Project "Ascot Centre- II" under SRA scheme on plot CS No. 10, 10/1, 11, 11/1 to 3, 12, 13, 28, 29, 31, 32, 32 (1 to 4), 33, 34, 35 35/1 to 3, 36, 36/1 to 4, 37, 37/1, 38, 39, 39/1 to 7, 40, 41 A(pt), 41 B/1, 41B/2, 42, 42/1 to 2, 43, 43/1, 44 & 45 of village Bapanalla Sahar MSD, Sahar Airport Road, Andheri (E), Mumbai.

7. Name of Company/Organization EVERSMILE CONSTRUCTION

**COMPANY PVT LTD** 

8. Location of Project MAHARASHTRA

9. TOR Date N/A

The project details along with terms and conditions are appended herewith from page no 2 onwards.

(e-signed)
Pravin C. Darade , I.A.S.

Date: 26/05/2023
Member Secretary
SEIAA - (MAHARASHTRA)

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.

#### STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/404799/2022 Environment & Climate Change Department Room No. 217, 2<sup>nd</sup> Floor, Mantralaya, Mumbai- 400032.

To M/s.Eversmile Construction Company Pvt Ltd., village Bapanalla Sahar MSD, Sahar Airport Road, Andheri (E), Mumbai.

Subject: Environment Clearance for Proposed Residential and Commercial Building Project "Ascot Centre- II" under SRA scheme on plot CS No. 10, 10/1, 11, 11/1 to 3, 12, 13, 28, 29, 31, 32, 32 (1 to 4), 33, 34, 35 35/1 to 3, 36, 36/1 to 4, 37, 37/1, 38, 39, 39/1 to 7, 40, 41 A(pt), 41 B/1, 41B/2, 42, 42/1 to 2, 43, 43/1, 44 & 45 of village Bapanalla Sahar MSD, Sahar Airport Road, Andheri (E), Mumbai by M/s.Eversmile Construction Company Pvt Ltd.

Reference: Application no. SIA/MH/INFRA2/404799/2022

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-2 in its 190<sup>th</sup> meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 259<sup>th</sup> (Day-1) meeting of State Level Environment Impact Assessment Authority (SEIAA).

2. Brief Information of the project submitted by you is as below:-

Sr. No.	Description	Details			
1	Proposal Number	(SIA/MH/INFRA2/404799/2022)			
2	Name of Project	Environment Clearance for Proposed Residential and Commercial Building Project "Ascot Centre- II" under SRA scheme on plot CS No. 10, 10/1, 11, 11/1 to 3, 12, 13, 28, 29, 31, 32, 32 (1 to 4), 33, 34, 35 35/1 to 3, 36, 36/1 to 4, 37, 37/1, 38, 39, 39/1 to 7, 40, 41 A(pt), 41 B/1, 41B/2, 42, 42/1 to 2, 43, 43/1, 44 & 45 of village Bapanalla Sahar MSD, Sahar Airport Road, Andheri (E), Mumbai by Eversmile construction Company Pvt.Ltd.			
3	Project category	8(a) Building and Construction Projects			
4	Type of Institution	Private			
5	Project Proponent	Name	M/s. Eversmile Construction Company. Pvt. Ltd.		
		Regd. Office	Dynamix House, Gen.		
		address	A.K.Vaidya Marg,		
			Yashodham, Goregaon (East),		
			Mumbai-400063.		
		Contact number	9819570543		

-	<u> </u>			e-mail	s mo	di@dynai	mixgroup.co.in
6	Consultan	<u> </u>		<del></del>			
	Consultan	ıı		Enviro Policy Research India Pvt. Ltd. Certificate No – NABET/EIA/2124/IA0076 (Validity			
				- 26.04.20		L/W & 1 & <b>T</b> / 1	A0070 (Validity
				1	fr.Avick Sil		
					n.Avick 511 etails – 98338258	75	
				Į.		-	dia aam
77	A 13 1			avick1114@gmail.com, avick@eprindia.com Fresh EC			<u>dia.com</u>
7	Applied for				1 11 . 0	C NT 10	10/1 11 11/1
8	Location	of the project		Plot bearing land bearing CS No. 10, 10/1, 11, 11/1 to			
		2012 W. W. W.		3, 12, 13, 28, 29, 31, 32, 32 (1 to 4), 33, 34, 35 35			
				to 3, 36, 36/1 to 4, 37, 37/1, 38, 39, 39/1 to 7, 40, 41 A(pt), 41 B/1, 41B/2, 42, 42/1 to 2, 43, 43/1, 44 & 45			
				of village Bapanalla Sahar MSD, Sahar Airport Ro			
						visd, san	iar Airport Road,
	T 4°4 1 28°				E), Mumbai.	<u> 2008 </u>	
9	Latitude a	nd Longitude		Charles UNDER March 90 of Con-	19° 6'22.63"N	\$74 N.	
10	DI 4 A	<u> </u>			=72°52'12.32"E	77 23	
10	Plot Area			17,007.60		<u>i. 4777                                  </u>	·····
11	Deduction			1,381.45 r		<u> 194.</u> 194.	
12	Net Plot a			15,626.15		1 764 No. 180	
13		overage (m <sup>2</sup> ) & %			n <sup>2</sup> (29.78 %)	1811 - 1718. 1718 - 1878	
14	FSI Area (			75,612.29		155	
15	Non-FSI (		LNI ECIN	40,070.72			\ \ 
16	Proposed built-up area (FSI + Non FSI)			1,15,683.01 m <sup>2</sup>			
17	$(m^2)$			Approval – Rehab No. 1 (SRA/ENG/1350/KE/AP			
17	7 TBUA (m²) approved by Planning Authority till date			dated 17.9.2010)			
				Rehab No. 2 (SRA/ENG/1351/KE/PL/AP dated			
				1.9.2022) and Sale (SRA/ENG/2949/KE/PL/AP			
				dated 1.9.2022)			
				FSI Area – 53,788.02 Sq.m			
18	Earlier EC details with Total			File no - S	SEAC-2014/CR.4	5/TC-1 da	ated 9 12 2014
10		ion area, if any.		for total construction area of 76,563.49 Sq.m			
19		ion completed as	ner earlier	7281.61 Sq.m			
		Non FSI) (m <sup>2</sup> )	P0, 001101	(Rehab Building 1 – This building is proposed to be			
			e estábel.	demolished, subject to obtaining necessary consent			
	4			from the planning authority)			
				There is a transit camp whose permission has been granted to be demolished.			
	\$# 			r Tjar i siym	<u></u>	4 4 <u>1</u>	
20	Previou	us EC / Existing	Building	Prop	osed Configurat	ion	Reason for
	Building	Configuration	Height	Building	Configuration	Height	Modification /
	Name		(m)	Name		(m)	Change
	Rehab	Ground + 7th		Rehab	Ground + 7th	27.85	Rehab
1	Building	Floors	mentioned	Building	Floors		Building 1 is
	1		in EC	1			constructed.
							(This building
				,			is proposed to
	1				·		be demolished,
							subject to
							obtaining
							necessary
L							consent from

Γ			<u> </u>	T			<del></del>	the planning
								the planning authority)
	Sale	3 Basements +	Not	Rehab	3 Basem	ents +	50.55	Building
	Building	Ground +	mentioned	Building	Ground -		m	structures and
	(5	14(Pt) floors	in EC	2 (Wing	16th upp		111	height of the
	Wings)	1 1(1 t) 110015		A and B)	floors	Ci		structures have
	Rehab	Ground + 9 <sup>th</sup>	Not	Sale	3 Basem	ents +	51.20	changed
	Building	Floors	mentioned	Building	Ground -		m	Changea
	3		in EC	(Wing	16th upp		***	
	Rehab	Ground + 9 <sup>th</sup>	Not	A, B and	floor			
	Building	Floors	mentioned	(C)				
	4		in EC				Rifu.	
	Rehab	Ground + 9th	Not	100 compagna				
	Building	Floors	mentioned			T. JA		
	5		in EC	TORUM		. ŧd		
	Rehab	Ground + 9th	Not					
	Building	Floors	mentioned					1.
	6		in EC					
	Rehab	Ground + 9 <sup>th</sup>	Not	ingana.				
	Building	Floor	mentioned			*5		
	7		in EC			·		
21		ements & Shops		886 Flats,	Commerc	ial area	– 617 Sq	.mt
22	Total Popu	<del></del>		4033 nos				
23	Total Wate	r Requirements (	CMD	551.8 KLD				
24		und Tank (UGT)	location	Basement				** ***
25	Source of			MCGM			1	
26	STP Capac	city & Technology	у	300 KLD and 200 KLD				
	<u> </u>			MBBR			gluar Eren	
27	STP Locat	ion		Basement				
20			0 0/					gk <u>7                                    </u>
28		Generation CMD	And the second s	of 466.2 KLD 34% of sewage discharge in sewer line				
48,944 354	sewage dis	scharge in sewer l	ine	34% of sev	wage disch	arge in	sewer lir	ie iii i
20	Solid W	ogto Nama	m4	The second				
29	Constructi	aste Manageme	nt during	Type	THE CHARLES AND A 12	uantity		atment /
	Constructi	on rnase		D		$\frac{Kg/d}{S V \sim D}$		oosal
	684 (p. ) Waliota			Dry waste		8 Kg/D	-	idover to
		- 1 전투 1 전 1 후 1 후 1 후 1 후 1 후 1 후 1 후 1 후 1 후		Wot	1	1 1/ ~ /D		norized recyclers
				Wet waste		2 Kg/D	ay OW	<u>'C</u>
				Constructi	on -	11.	-	
				waste		A. S.		
30	Total Solid	l Waste Quantitie	s with tune	Туре		uantit	, T	atment /
50		eration Phase &		The	1 7	yuaniny Kg/d)	' I	oosal
	OWC to be		capacity of	Dry waste		134.3		dover to
	5 11 C 10 U	o mistanica		Dry waste		+34.3 g/Day		norized recyclers
				Wet waste		g/Day 56.2	OW	
	· ·			waste		g/Day	OW	
				E-Waste	- 17	g/Day		
				STP Sludg		3.3	Sha	ll be used as
				(dry)		g/Day		nure
		· · · · · · · · · · · · · · · · · · ·		(ury)		givay	Iviai	ıuı¢

21	D C A 2			
31	R.G. Area in m <sup>2</sup>	RG required – 1745.92 Sq.m		
		RG provided on Mother earth/Ground-		
		RG provided on ground -1745.92 Sq.m		
		Total – 1745.92 Sq.m		
		Existing trees on plot: 42 nos Number of trees to be planted:207 a) In RG area: b) In Miyawaki Plantation (with area);		
		Number of trees to be cut:04		
		Number of trees to be transplanted: 28		
		Number of Trees to be retained: 10		
32	Power requirement	During Operation Phase:		
		Details		
		Connected load (kW)   Sale – 1720 KW, Rehab – 1690 KW		
		Demand load (kW) Sale – 767 KW, Rehab – 740 KW		
33	Energy Efficiency	a) Overall energy savings (%):Sale - 22 %, Rehab -		
		23%		
		b) Solar energy (%): 5 %		
34	D.G. set capacity	600 KVA and 700 KVA		
35	No. of 4-W & 2-W Parking with 25%	4 -wheeler Provided – 586 nos.;		
	EV	2-wheeler Provided – 250 nos.		
36	No. & capacity of Rain water	RWH Tank – 115 cum and 136 cum		
	harvesting tanks /Pits			
37	Project Cost in (Cr.)	The estimated project cost is 600.09 Cr, out of which expansion cost works out to be 215.09 Cr.		
38	EMP Cost	Construction Phase- 36.2 Lakhs		
./(51%)		Operation Phase- 491 Lakhs (43 Lakhs – O/M)		
39	CER Details with justification if anyas per MoEF&CC circular dated 01/05/2018	Not applicable (as per MoEF&CC OM F. NO. 22-65/2017-IA.III dt. 30.09.2020)		
40	Details of Court Cases/litigations w.r.t the project and project location, if any.	NA		

The comparative statement showing project details as per earlier EC and proposed project details is as below:

Description	Previous EC	Current	Remark
	File no – SEAC-	Application 6	
	2014/CR.45/TC-1 dated		ji i
	9.12.2014	97 49 TW	
Plot Area	17,007.60	17,007.60	No Change
$(m^2)$			
Total FSI	47,621.85	75,612.29	Increased by 27,990.44
Area (m <sup>2</sup> )			
Non FSI Area	28,941.64	40,070.72	Increased by 11,129.08
(Sq.m)			
Total	76,563.49	1,15,683.01	Increased by 39,119.52
Construction			

Description	Previous EC File no – SEAC- 2014/CR.45/TC-1 dated 9.12,2014	Current Application	Remark
Area (Sq.m)			
Configuration & Height	Rehab Building 1 – Ground + 7 <sup>th</sup> Floors Sale Building (5 Wings) – 3 Basements + Ground + 14(Pt) floors Rehab Building 3 – Ground + 9 <sup>th</sup> Floors Rehab Building 4 – Ground + 9 <sup>th</sup> Floors Rehab Building 5 – Ground + 9 <sup>th</sup> Floors Rehab Building 6 – Ground + 9 <sup>th</sup> Floors Rehab Building 7 – Ground + 9 <sup>th</sup> Floors Rehab Building 7 – Ground + 9 <sup>th</sup> Floor	Rehab Building 1 - Ground + 1st to 7th Floor Height - 27.85 m  Rehab Building 2 (Wing A and B) - 3 Basements + Ground +1st to 16th upper floors Height - 50.55 m Sale Building (Wing A, B and C): 3 Basements + Ground +1st to 16th upper floor	Rehab Building 1 is constructed. (This building is proposed to be demolished, subject to obtaining necessary consent from the planning authority)  Building structures and height of the structures have changed
		Height: 51.20m	
Project Cost	385 Cr	600.09 Cr	Total Project Cost is 600.09 Cr, out of which cost for expansion works out to be 215.09 Cr.
Population	4193 nos.	4033 nos.	Decreased by 160 nos.
Parking details	4W – 465 nos.	4W – 586 nos. 2W – 250 nos.	4-W parking increased 121 nos. 2-W parking now proposed
RG area	Total RG Area – 3521.18 Sq.m. RG on Ground – 3035.79 Sq.m RG on Basement Top – 485.39 Sq.m	Required RG – 1745.92 Sq.m Proposed RG – 1745.92 Sq.m RG proposed on Ground – 1745.92 Sq.m	Provided as per DC Regulations
Total water requirement	563 KLD	551.8 KLD	Decreased by 11.2 KLD
Total sewage generation	525 KLD	466.2 KLD	Decreased by 58.8 KLD
STP Capacity	550 KLD	Rehab – 300 KLD Sale – 200 KLD	Now 2 nos of STP are proposed
STP Technology	MBBR	MBBR	No change
STP Location	Basement/Ground	Basement Rehab – 265 Sq.m, Sale – 173 Sq.m	-
Total	2085 Kg/Day	2390.5 Kg/Day	Increased by 305.5 Kg/Day

Description	Previous EC File no – SEAC- 2014/CR.45/TC-1 dated 9.12.2014	Current Application	Remark
Quantity of Waste			
Treatment technology	Mechanical composting system (Eco Biocompack)	OWC	-

3. The proposal has been considered by SEIAA in its 259<sup>th</sup> (Day-1) meeting and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

## **Specific Conditions:**

## A. SEAC Conditions-

- 1. PP to submit IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions as per the Circular dated 30.01.2014 issued by the Environment Department, Govt. of Maharashtra.
- 2. PP to obtain following updated NOCs & remarks:
  a)SWD NOC; b) SWM/ C & D NOC; c) Tree NOC; d) Nalla remarks.
- 3. PP to submit certified compliance report of earlier EC from Regional Office, MOEF&CC, Nagpur.
- 4. PP to reduce discharge of treated water up to 35%; PP to submit undertaking from concerned authority/agency/third party regarding use of excess treated water.
- 5. PP to deduct area of services or shift services proposed in RG area & submit revised RG area calculations of required & provided RG area with triangulation method; PP to submit undertaking that they have provided 100% RG on mother earth in proposed project as per latest order of Hon'ble NGT.

## B. SEIAA Conditions-

- PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
- 2. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 3. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
- 4. SEIAA after deliberation decided to grant EC for FSI 53,788.02m2, Non FSI-26,659.16m2, Total BUA- 80,447.18 m2. (Plan approval No. SRA/ENG/650/KE/PL/LOI dated 20.7.2022)

## **General Conditions:**

#### a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to

- reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
  - XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell/designated person.

# B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
  - V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Agriculture Dept.
  - IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
  - X. Separate funds shall be allocated for implementation of environmental protection

- measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

#### C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board

for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.

- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
- 6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
- 8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1<sup>st</sup> Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Pravin Darade
(Member Secretary, SEIAA)

#### Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Mumbai Suburban.
- 6. Commissioner, Municipal Corporation of Greater Mumbai
- 7. Regional Officer, Maharashtra Pollution Control Board, Mumbai.